

OBD communication protocol(s) supported:  
 ISO 15765-4:2011: 'Road vehicles — Diagnostics on Controller Area Network (CAN) — Part 4: Requirements for emission-related systems', dated 1 November 2001

**OBD Service \$01:**

Request current powertrain diagnostic data	SID 0x01				
PID Description	PID	Bytes	Rang,Scaling	Service x01	Sevice x02
Request supported PIDs from PID 0x01-0x20	PID \$00	4		√	√
	ByteA				
	ByteB				
	ByteC				
	ByteD				
01 Monitor status since DTCs cleared	PID \$01	4		√	×
	ByteA				
	ByteB				
	ByteC				
	ByteD				
DTC that caused required freeze frame data storage	PID \$02	2	0000~FFFF	×	√
Fuel system status	PID \$03	ByteA	Bit coding	√	√
		ByteB	Bit coding		
Calculated Load Value	PID \$04	1	0~100%,100/255%	√	√
Engine Coolant Temperature	PID \$05	1	-40~215°C, 1°C	√	√
Intake Manifold Absolute Pressure	PID \$0B	1	0~255kpa, 1kpa	√	√
Engine RPM	PID \$0C	2	0~16383.75/min, 0.25/min	√	√
Vehicle speed sensor	PID \$0D	1	0.0...511.9922	√	√
Ignition Timing Advance for #1 Cylinder	PID \$0E	1	-64~63.5°, 0.5°	√	√
Intake Air Temperature	PID \$0F	1	-40~215°C, 1°C	√	√
Absolute Throttle Position	PID \$11	1	0%~100%, 100/255%	√	√
Location of Oxygen sensor	PID \$13	1	Bit coding	√	×
Oxygen Sensor Output Voltage Bank1 sensor1	PID \$14	2	0~1.275, 0.005V	√	×
Short term fuel trim Bank 1 Sensor 1		1	-100%~99.22%, 100/128%	√	√
OBD requirements to which vehicle or engine is certified.	PID \$1C	1	Bit coding	√	×
Distance traveled while MIL is activated	PID \$21	1		√	×
Barometric Pressure	PID \$33	1	0~255kpa, 1kpa	√	√
Control module voltage	PID \$42	ByteA Byte B			
Engine run time while MIL is activated	PID \$4D	ByteA Byte B	65.535sec,1sec	√	√

## OBD Service \$02

<b>Outputs</b>	<b>Decription</b>
PID \$02	Pcode of the fault which freeze frame
PID \$03	Fuel system bank1/bank2 status
PID \$04	Calculated load value
PID \$05	Engine coolant temperature
PID \$0B	Intake manifold absolute pressure
PID \$0C	Engine speed
PID \$0D	Vehicle speed
PID \$0E	Ignition angle
PID \$0F	Intake air temperature
PID \$11	Absolute throttle position
PID \$13	Location of lambda sensor 1
PID \$14	Lambda Bank 1
PID \$18	Lambda Bank 2

### Service 03

<b>Fault Code</b>	<b>Description of DTC</b>	<b>Class</b>	<b>Active MIL</b>
P 0118	Engine Coolant Temperature Sensor Circuit High / Open Circuit	1	√
P 0117	Engine Coolant Temperature Sensor Circuit Low	1	√
P 0119	Engine Coolant Temperature Sensor signal performance	3	√
P 0116	Engine Coolant Temperature Sensor signal out of range	3	√
P 0335	Crankshaft Position Sensor "A" Circuit	1	√
P 2300	Ignition Coil "A" Primary Control Circuit Low / Open Circuit	1	√
P 0123	Throttle Position Sensor/Switch "A" Circuit High	1	√
P 0122	Throttle Position Sensor/Switch "A" Circuit Low / Open Circuit	1	√
P 0231	Fuel Pump circuit short Low / Open Circuit	1	√
P 0262	Cylinder 1 Fuel Injector "A" Circuit High	1	√
P 0261	Cylinder 1 Fuel Injector "A" Circuit Low / Open Circuit	1	√
P 0108	Manifold Absolute Pressure Sensor Circuit High	1	√
P 0107	Manifold Absolute Pressure Sensor Circuit Low/Open Circuit	1	√
P 0113	Intake Air Temperature Sensor Circuit High / Open Circuit	1	√
P 0112	Intake Air Temperature Sensor Circuit Low	1	√
P 0111	Intake Air Temperature Sensor signal stuck	3	√
P 0114	Intake Air Temperature Sensor Circuit Intermittent	3	√
P 0132	O2 Sensor Circuit High Voltage Bank 1 Sensor 1	1	√
P 0131	O2 Sensor Circuit Low Voltage Bank 1 Sensor 1 / Open Circuit	1	√
P 0130	O2 Sensor Frequency error	3	√
P 0031	O2 Sensor Heater Control Circuit Low Bank 1 Sensor 1 / Open Circuit	1	√
P 0032	O2 Sensor Heater Control Circuit High Bank 1 Sensor 1	1	√
P 0030	O2 Sensor Heater current low Bank 1 Sensor 1	1	√
P 0300	Cylinder 1 Misfire Detected	3	√
P 0505	Idle air control system error	1	√

**OBD Service \$06**

OBD monitor ID	Monitor ID(MID)	Test ID Name	Test ID (TID)	Min value	Max value	Unit	Fault code
Oxygen sensor (Upstream)	0x01	Exhaust Gas Sensor Monitor Bank 1	0x83	25	100	%	P0133

**OBD Service \$09**

VID 02		VIN	Vehicle Identification Number
VID 04		CALID	Calibration Identifications
VID 06		CVN	Calibration Verification Numbers
VID 08	In use performance tracking	IPT	
	OBDCON	0	General denominator
	IGNCNTR	0	ignition counter
	CATCOMP1	0	numerator, catalyst monitor completion counts bank1
	CATCOND1	0	denominator, catalyst monitor completion counts bank1
		7.995	calculated ratio
	CATCOMP2	0	numerator, catalyst monitor completion counts bank2
	CATCOND2	0	denominator, catalyst monitor completion counts bank2
		7.995	calculated ratio
	O2SCOMP1	0	numerator, O2 sensor monitor completion counts bank1
	O2SCOND1	0	denominator, O2 sensor monitor completion counts bank1
		7.995	calculated ratio
	O2SCOMP2	0	numerator, O2 sensor monitor completion counts bank2
	O2SCOND2	0	denominator, O2 sensor monitor completion counts bank2
		7.995	calculated ratio
	EGRCOMP	0	numerator, EGR/VVT monitor completion counts
	EGRCOND	0	denominator, EGR/VVT monitor completion counts
		7.995	calculated ratio
	AIRCOMP	0	numerator, secondary air monitor completion counts
	AIRCOND	0	denominator, secondary air monitor completion counts
		7.995	calculated ratio
	EVAPCOMP	0	numerator, EVAP monitor completion counts
	EVAPCOND	0	denominator, EVAP monitor completion counts
		7.995	calculated ratio
	SO2SCOMP1	0	numerator, Secondary O2 sensor monitor completion counts bank1
	SO2SCOND1	0	denominator, Secondary O2 sensor monitor completion counts bank1
		7.995	calculated ratio
	SO2SCOMP2	0	numerator, Secondary O2 sensor monitor completion counts bank2
	SO2SCOND2	0	denominator, Secondary O2 sensor monitor completion counts bank2
		7.995	calculated ratio